

L Number	Hits	Search Text	DB	Time stamp
1	34844	count\$4 with (number or length) with (zero or "0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:48
2	6721	run with (number or length) with (zero or "0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:49
4	1188660	compression or coding or encoding	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:49
5	1306	(count\$4 with (number or length) with (zero or "0")) and (run with (number or length) with (zero or "0"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:49
6	40259	(count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:50
7	909	(compression or coding or encoding) and ((count\$4 with (number or length) with (zero or "0")) and (run with (number or length) with (zero or "0")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:50
8	11510	(compression or coding or encoding) and ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:50
9	3804	(parallel\$4 or multiple) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:51
11	1098	((parallel\$4 or multiple) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and ((compression or coding or encoding) and ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:51
10	198	((parallel\$4 or multiple) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and ((compression or coding or encoding) and ((count\$4 with (number or length) with (zero or "0")) and (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:51

12	5309674	@ad>19980227 not (continu\$6 or provision\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:52
13	3135	speed same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:53
14	14	(speed same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and (((parallel\$4 or multiple) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and ((compression or coding or encoding) and ((count\$4 with (number or length) with (zero or "0")) and (run with (number or length) with (zero or "0"))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:53
15	120	(speed same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and (((parallel\$4 or multiple) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and ((compression or coding or encoding) and ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:53
17	118	((speed same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and (((parallel\$4 or multiple) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and ((compression or coding or encoding) and ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))))) not (@ad>19980227 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:53
16	13	((speed same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and (((parallel\$4 or multiple) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and ((compression or coding or encoding) and ((count\$4 with (number or length) with (zero or "0")) and (run with (number or length) with (zero or "0")))))) not (@ad>19980227 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:55
18	569	DCT same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:55
19	1858	(AC or DC) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:55
20	2191	(DCT same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) or ((AC or DC) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:56

21	3	((DCT same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) or ((AC or DC) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and (((speed same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and (((parallel\$4 or multiple) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and ((compression or coding or encoding) and ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))))) not (@ad>19980227 not (continu\$6 or provision\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 16:56
22	14	((DCT same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) or ((AC or DC) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and (((speed same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and (((parallel\$4 or multiple) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and ((compression or coding or encoding) and ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))))) not (@ad>19980227 not (continu\$6 or provision\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:09
23	36909	(two or double) adj2 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:10
24	16	((two or double) adj2 memory ) with ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:15
25	2	((two or double) adj2 memory ) with ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0")))) and ((compression or coding or encoding) and ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:14
26	2893	(compression or coding or encoding) and DCT and huffman	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:14
27	909	((compression or coding or encoding) and DCT and huffman) and ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:14
28	204	((two or double) adj2 memory ) and (((compression or coding or encoding) and DCT and huffman) and ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:14
29	85	((two or double) adj2 memory ) same ((count\$4 with (number or length) with (zero or "0")) or (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:15

30	0	((compression or coding or encoding) and DCT and huffman) and (((two or double) adj2 memory ) same ((count\$4 with (number or length) with (zero or "0"))) or (run with (number or length) with (zero or "0"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:15
31	70216	cycle with clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:16
32	342	((compression or coding or encoding) and DCT and huffman) and (cycle with clock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:16
33	231	((compression or coding or encoding) and DCT and huffman) and (cycle with clock)) and ((count\$4 with (number or length) with (zero or "0"))) or (run with (number or length) with (zero or "0")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:16
34	74	((parallel\$4 or multiple) same ((count\$4 with (number or length) with (zero or "0"))) or (run with (number or length) with (zero or "0")))) and (((compression or coding or encoding) and DCT and huffman) and (cycle with clock)) and ((count\$4 with (number or length) with (zero or "0"))) or (run with (number or length) with (zero or "0")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:17
35	73	((parallel\$4 or multiple) same ((count\$4 with (number or length) with (zero or "0"))) or (run with (number or length) with (zero or "0")))) and (((compression or coding or encoding) and DCT and huffman) and (cycle with clock)) and ((count\$4 with (number or length) with (zero or "0"))) or (run with (number or length) with (zero or "0")))) not (@ad>19980227 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/07 17:17